® Material Safety Data Sheet

The Armor All/STP Products Company
44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

1. Product And Company Identification

Product Name: ARMOR ALL® Air Fresheners Cool Mist Scented Oil Vent Clip

Responsible Party: The Armor All/STP Products Company
44 Old Ridgebury Road
Suite 300
Danbury, CT 06810

Information Phone Number: +1 203-205-2900
Emergency Phone Number:
For Medical Emergencies, call 1-866-949-6465 / +1 303-389-1332 (Outside US and Canada)
For Transportation Emergencies, call 1-800-424-9300 (Chemtrec) +1-703-527-3887 for Outside US and Canada (call collect)
MSDS Date Of Preparation: 09/22/2014
Product Use: Automotive product – For consumer and professional use

2. Hazards Identification

EMERGENCY OVERVIEW

CAUTION: Combustible liquid. Eye irritant. Skin contact may cause mild irritation and dryness. Repeated contact may cause allergic skin reaction.

3. Composition/Information On Ingredients

Component	CAS No.	Amount
Fragrance Mixture	Proprietary	Proprietary

4. First Aid Measures

Inhalation: If symptoms of exposure develop, remove to fresh air. Seek medical attention if symptoms persist.

Skin Contact: Wash exposed skin with soap and water. If skin irritation or redness develops, seek medical attention.

Eye Contact: Flush eyes with large amounts of water for 15 minutes. If irritation or other symptoms persist, seek medical attention.

Ingestion: DO NOT induce vomiting. If the victim is fully conscious, have them rinse their mouth with water. Get medical assistance by calling a doctor or poison center. Never give anything by mouth to a person who is unconscious or drowsy.

5. Firefighting Measures

Extinguishing Media: Use dry chemical, carbon dioxide, or foam. Cool fire exposed containers with water spray.

Special Fire Fighting Procedures: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

Unusual Fire Hazards: Closed containers may rupture if exposed to extreme heat.

Hazardous Combustion Products: Oxides of carbon.

6: Accidental Release Measures

Personal Precautions: Wear appropriate protective equipment.

Environmental Precautions: Prevent entry in storm sewers and waterways. Report spill as required by local and national regulations.

Methods for Containment and Clean-Up: Absorb with an inert material. Collect into a suitable container for disposal. Rinse area with water.

7. Handling and Storage

Avoid contact with eyes, skin and clothing. Rinse exposed skin with water after use. Keep away from open flames, and excessive heat. Keep out of the reach of children, and pets.

Store tightly closed in a cool dry, and well-ventilated place.

8. Exposure Controls / Personal Protection

CHEMICAL	EXPOSURE LIMIT
Fragrance Mixture	100 mg/m3 TWA Manufacturer Recommended

Ventilation: General ventilation should be adequate for all normal use.

Respiratory Protection: None required under normal use conditions.

Gloves: None normally required. Avoid prolonged skin contact. Impervious gloves such as rubber, neoprene or nitrile can be used if needed to avoid prolonged or repeated skin contact.

Eye Protection: None required for normal use. Safety glasses or goggles are recommended if eye contact is possible.

Other Protective Equipment/Clothing: None required under normal use conditions.

9. Physical and Chemical Properties

Appearance And Odor: Blue liquid with a characteristic odor.

pH: Not determined		**Specific Gravity:** Not determined
Boiling Point: Not determined		**Vapor Pressure:** Not determined
Freezing Point: Not determined		**Vapor Density:** Not determined
Solubility In Water: Not determined		**Percent Volatile:** Not determined
Viscosity: Not determined		**Evaporation Rate:** Not determined
Coefficient Of Water/Oil Distribution: Not determined		**Autoignition Temp:** Not applicable
Flash Point: 181°F (83°C)		
Flammability Limits:	LEL: Not available	UEL: Not available

10. Stability and Reactivity

Stability: Stable
Conditions To Avoid: None known.
Incompatibility: Strong oxidizers
Hazardous Decomposition Products: Oxides of carbon.

11. Toxicological Information

Acute Hazards:

Inhalation: Excessive exposures may cause nausea, vertigo, and dizziness.

Skin Contact: May cause irritation. Repeated skin contact may cause sensitization. (Allergic reaction)

Eye Contact: Direct contact may cause eye irritation with redness, tearing and pain.

Ingestion: Swallowing may cause nausea, vertigo, dizziness, and gastrointestinal disturbances.

Chronic Hazards: Prolonged oral, and dermal over exposures may result in liver, kidney, and male reproductive effects based on animal test data.

Medical Conditions Aggravated By Exposure: May aggravate an existing skin disorders.

Carcinogen: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

Acute Toxicity Values:

No data available.

12. Ecological Information

No ecotoxicity data is currently available.

13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations.

14. Transport Information

DOT Hazardous Materials Description: Not Regulated in non-bulk packaging. (See 49CFR173.150)

Canadian TDG Hazardous Materials Description: Not Regulated

IMDG Dangerous Goods Description: UN 3082 Environmentally Hazardous Substance, Liquid, n.o.s. (Limonene),9,PGIII, MP

The Armor All/STP Products Company
44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

15. Regulatory Information

United States:

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CERCLA Section 103: This product has a RQ of 88,666lbs. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Acute Health, Chronic Health

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Canada:

Canadian WHMIS Classification: Class B-3 (Combustible Liquid), Class D - Division 2 - Subdivision B - (Toxic material causing other toxic effects)

This MSDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Rating (NFPA 704):	Health: 2	Fire: 2	Instability: 0
HMIS Rating:	Health: 2	Fire: 2	Reactivity: 0

REVISION SUMMARY: 09/22/2014 - Three year review.

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH